

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. DEC 18 1963

Returned to applicant for correction.

Corrected application filed.

Map filed. DEC 18 1963

The applicant ARTHUR F. AND LOLA M. NEWELL
 of Las Vegas, County of Clark,
 State of Nevada, hereby make application for permission to appropriate the public
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
 tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Artesian Basin (underground
Name of stream, lake or other source.
source)

2. The amount of water applied for is 0.025 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Commercial (rental units) and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 11. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 32,

Township 19 South, Range 60 East, M.D.B. & M. or at a point from
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

which the center $\frac{1}{4}$ corner of said Section 32 bears South 40° 51' 11" West a distance of 1672.34 feet.
it should be stated.

6. Place of use NE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 32, Township 19 South, Range 60.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

East, M.D.B. & M.

7. Use will begin about January 1st and end about December 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
 specifications of your diversion or storage works.) Drilled well, 8 inch casing, with

miscellaneous size pipes to points of use.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works \$6,000.00
10. Estimated time required to construct works 60 days
11. Remarks The applicants plan the construction of our four dwellings, one is to be used as their home, the other three are to be rental units, and this water is for the purpose of the normal maintenance of such dwellings.

Applicant ARTHUR F. AND LOLA M. NEWELL

By s/ Bennett J. Vasey
Bennett J. Vasey-State Water Right Surveyor

Compared rap/hs hs/ns Tyson Engineering Company

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water and is limited to what the well will produce but not to exceed 0.01 c.f.s. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening and an air line for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01 cubic feet per second, not to exceed 1.5 mg. annually.

Actual construction work shall begin on or before September 23, 1964

Proof of commencement of work shall be filed before October 23, 1964

Work must be prosecuted with reasonable diligence and be completed on or before September 23, 1965

Proof of completion of work shall be filed before October 23, 1965

Application of water to beneficial use shall be made on or before September 23, 1966

Proof of the application of water to beneficial use shall be filed on or before October 23, 1966

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed

Completion of work filed

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

Recorded Bk. DEC 14 1965 Page

218 (Rev.) OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

WITNESS MY HAND AND SEAL this 23rd day

of March, 1964

ELMO J. DERICCO

State Engineer

Assistant State Engineer